
PART III

† CONODONTA. † SCOLECODONTA, † VERMES

COMPILED BY

J. O. MALCOLM



†CONODONTA. †SCOLECODONTA, †VERMES

TITLES

Ash, S. R. Bibliography and index of conodonts, 1949-1958. Micropaleontology 7 2: 213-244.

Bataller, J. R. Enumeración de las especies nuevas del Eocénico de España. An. Esc. Perit. agric. Barcelona 13 1955: 3-50.

Beach, G. A. see Clark, D. L.

Becker, J. H. see Clark, D. L.

Bender, H. Ein Querprofil durch den Westteil der Hörre und ihre "Phyllite" (Ulmbachtal; Rheinisches Schiefergebirge). Notizbl. hess. Landesamt. Bodenforsch. 87 1959: 78–88 figs.

Bradley, P. C. S. & Hodson, F. The Fuller's Earth of Whatley, Somerset. Geol. Mag. 94 1957: 312-322.

B[ranson], C. C. Oldest Conodonts found in Oklahoma. Okla. Geol. Notes 17 2: 21.

Burton, R. C. see Rexroad, C. B.

Ching, Y. K. Conodonts from the Kufeng suite (formation) of Lungtan, Nanking. Acta palaeont. Sinica 8 3 1960: 230-250 2 pls. figs.

Clark, D. L. & Beach, G. A. Late Devonian-Early Mississippian biostratigraphy, central Utah. Prog. Ann. Meeting Amer. geol. Soc.: 25A.

Clark, D. L. & Becker, J. H. Upper Devonian correlations in Western Utah and Eastern Nevada. Bull. geol. Soc. Amer. 71 1960: 1661–1674 2 pls. figs.

Clarke, W. J. Scottish Carboniferous Conodonts. Trans. Edinb. geol. Soc. 18 1960: 1-31 5 pls.

Collinson, C. see Rexroad, C. B.

Collinson, C. see Scott, A. J.

Cygan, N. E. see Koucky, F. L.

Dvorak, J. & Freyer, G. Die Devon/Karbon-Grenze im Mährischen Karst (Südteil des mährischen Sedimentationsbeckens) auf der Grundlage von Conodontenfaunen. Geologie 10: 881–895 2 pls. [English summary].

Easton, W. H. Invertebrate Paleontology: 227-238 figs. Harper Bros. N.Y.

Erben, H. K., Lardeux, H., Lys, M., Pillet, J., Serre, B., Ubaghs, G. & Walliser, O. H. Note préliminaire sur la faune des calcaires de la Grange (M.-et-L.). Bull. Soc. Étud. sci. Angers N.S. 2 1960: 100-104.

Ethington, R. L., Furnish, W. M. & Wingert, J. R. Upper Devonian Conodonts from Bighorn Mountains, Wyoming. J. Paleont. 35: 759-768 l pl.

Falke, H. Zur Geologie der Umgebung von Stromberg (Hunsrück). Notizbl. hess. Landesamt. Bodenforsch. 85 1957: 75–113 1 pl. 7 figs.

Fay, R. O. (1). Cretaceous Conodonts from West Africa. Okla. Geol. Notes 17 2 1957: 10.

Fay, R. O. (2). A key to conodont genera and subgenera. Okla. Geol. Notes 18 6 & 7 1958: 103-120 figs.

Fay, R. O. (3). A key to conodont genera and subgenera—addenda. Okla. Geol. Notes 18 11 1958: 178 fig. Fay, R. O. (4). Bibliography and index of Conodonts, 1949–1958. A review. Okla. Geol. Notes 21 8: 202–203.

Freyer, G. Zur taxonomie und Biostratigraphie der Conodonten aus dem Oberdevon des Vogtlandes unter besonderer Berücksichtigung des to V/VI. Freiberg. Forschungsch. C95: 1–96 6 pls. figs.

Freyer, G. see Dvorak, J.

Furnish, W. M. see Ethington, R. L.

Furnish, W. M. see Glenister, B. F.

Glenister, B. F. Carboniferous conodonts and ammonoids from Northwestern Australia. Congr. Strat. geol. Carbonifere, 4th Congrès, vol. 1 1960: 213– 217 figs.

Glenister, B. F. & Furnish, W. M. Conodonts from Samphire Marsh no. 1. Aust. Bur. min. Res. geol. geophys. Pet. search subsidy Acts 5: 27-28.

Goodwin, P. W. Late Cambrian and Early Ordovician conodonts from the Bighorn Mountains, Wyoming. Prog. Ann. Meeting Amer. geol. Soc.: 58A-59A.

Greiling, L. Devon im Oberpfälzer Wald. Senck. leth. 42: 265-271 1 fig.

Helms, J. (1). Die "nodocostata-Gruppe" der Gattung Polygnathus. Geologie 10: 674–711 4 pls. [English summary].

Helms, J. (2). Die Bedeutung der Conodonten für die Stratigraphie. Geologie 10: 973–995 3 pls. [English summary].

Higgins, A. C. Some Namurian Conodonts from North Staffordshire. Geol. Mag. 98: 210-224 3 pls. figs.

Hodson, F. see Bradley, P. C. S.

Jarrel, M. K. see Rexroad, C. B.

Jones, P. J. Discovery of conodonts in the Upper Cambrian of Queensland. Aust. J. Sci. 24: 143-144.

Jordan, H. Uber einen Scolecodonten-Fund aus dem Unterdevon des Harzes und die Gattung Belodus Pander. Freiberg. Forsch. C.89 1960: 230–235 1 pl.

Koucky, F. L., Cygan, N. E. & Rhodes, F. H. T. Conodonts from the Eastern Flank of the Central Part of the Big Horn Mountains, Wyoming. J. Paleont. 35: 877-879 fig.

Kraemer, A. Neue Fischpuren im Paläozoicum des Sauerlandes. Abh. Landesmus. Westf. 11 1 1940 : 49-53 3 pls.

Lindström, M. (1). A serious misprint in the paper "Conodonts from the lowermost Ordovician strata of South-Central Sweden". Geol. Fören. Stockh. Förh. 77 2 1955: 212.

Lindström, M. (2). Conodonts from the Crug limestone (Ordovician, Wales). Micropaleontology 5 1959: 427-452 4 pls. figs.

Lindström, M. (3). A lower-middle Ordovician succession of Conodont faunas. Int. geol. Congr. vol. Abstrs. 1960: 59.

Lys, M. & Serre, B. (1). Découverte de Conodontes dans le Paléozoïque de la Montagne Noire. C.R. Acad. Sci. Paris 244 1957 : 2071-2073.

Lys, M. & Serre, B. (2). Contribution a la Connaissance des Microfaunes du Paléozoique. Études micropaléontologiques dans le Carbonifère Marin des Asturies. (Espagne). Inst. Franç. du Pét. 1958: 879-916 11 pls. [Extrait de la Revue de l'Institut Français du Pétrole et Annales des Combustibles Liquides 13 6 1958].

Lys, M. see Erben, H. K.

Lys, M. see Serre, B.

Malmborg, G. Geologiska iakttagelser inom det underkambriska området vid Torekov, NV-Skåne. Geol. Fören. Stockh. Förh. 77 1955: 289-316 figs.

Malzahn, E. Neue Fossilfunde und vertikale Verbreitung der niederrheinischen Zechsteinfauna in den Bohrungen Kamp 4 und Friedrich Heinrich 57 bei Kamp-Lintfort. Geol. Jb. 73 1958: 91-126 4 pls. fig.

Mehl, M. C. The relationships of the base of the Mississippian system in Missouri. J. sci. Labs. Denison Univ. 45 5-9 1960: 57-107 figs.

Petitot, M.-L. Remack... Contribution à l'étude des Conodontes du Sahara (bassins de Fort-Polignac, d'Adrar Reggane et du J. Béchar). Comparaison avec les Pyrénées et la Montagne Noire. Bull. Soc. géol. Fr. (7) 2 2 1960 : 240-262 figs.

Reichstein, M. "Gemeinsames" Auftreten von mitteldevonischen Trilobiten mit oberdevonischen Conodonten am Büchenberg-Sattel (Harz). Geologie 9 1960: 565-574 figs.

Rexroad, C. B. & Burton, R. C. Conodonts from the Kinkaid Formation (Chester) in Illinois. J. Paleont. 35: 1143-1158 4 pls.

Rexroad, C. B. & Collinson, C. Preliminary range chart of Conodonts from the Chester Series (Mississippian) in the Illinois Basin. Circ. Ill. Geol. Surv. 319: 1-11 l pl.

Rexroad, C. B. & Jarrel, M. K. Correlation by Conodonts of Golconda Group (Chesterian) in Illinois Basin. Bull. Amer. Ass. Petrol. Geol. 45: 2012-2024 figs.

Rhodes, F. H. T. see Koucky, F. L.

Rietschel, S. Mittel- under Ober Devon bei Usingen und Münster (Bl. Usingen, Taunus, Rhenisches Schiefergebirge). Senck. leth. 42: 453–456.

Rust, C. C. see Sweet, W. C.

Schwarzbach, M. Zum Vorkommen von Sphenothallus HALL im europäischen Oberkarbon. Geol. Jb. 72 1957: 231-234 figs.

Scott, A. J. Three new Conodonts from the Louisiana Limestone (Upper Devonian) of Western Illinois. J. Paleont. 35: 1223-1227 figs.

Scott, A. J. & Collinson, C. Conodont faunas from the Louisiana and McCraney formations of Illinois, Iowa and Missouri. Rep. Invest. Mo. Geol. Surv. 27: 110-141 2 pls.

Sergeva, S. P. On conodonts. Vestn. leningr. Univ. No. 24: 151-155.

Serre, B. & Lys, M. (1). Repartition de quelques Conodontes dans le Dévonien et le Carbonifère inférieur de France et de Belgique. Int. geol. Congr. Vol. Abstrs. 1960: 55. Serre, B. & Lys, M. (2). Aperçu sur les Conodontes des calcaires dévoniens de l'Anjou. Bull. Soc. Étude. sci. Angers N.S. 2 1960 : 105-106.

Serre, B. see Erben, H. K.

Serre, B. see Lys, M.

Shaffer, B. L. see Tasch, P.

Sohn, I. G. Ostracodes and Conodonts from the Getaway Limestone member of the Cherry Canyon Formation (Permian) Texas. Prof. Pap. U.S. geol. Surv. 424D: D244-D245.

Stoppel, D. Das Oberdevon und Unterkarbon im südlichen Kellerwald. Notizbl. hess. Landesamt Bodenforsch. 87 1959: 89–119.

Sweet, W. C. & Rust, C. C. Ordovician conodont succession in the Middletown Core, Southwestern Ohio. Prog. Ann. Meeting Amer. geol. Soc.: 158A.

Tasch, P. & Shaffer, B. L. Study of Scolecodonts by transmitted light. Micropaleontology 7: 369-371 1 pl.

Waldren, C. W. Preliminary investigation of conodonts in the Winnipeg Formation (Ordovician) of North Dakota. Proc. N. Dakota Acad. Sci. 9 1955: 17.

Walliser, O. H. Conodenten aus dem oberen Gotlandium Deutschlands und der Karnischen Alpen. Notizbl. hess. Landesamt. Bodenforsch. 85 1957: 28–52 3 pls. 3 figs.

Walliser, O. H. see Erben, H. K.

Wetzel, W. Semiserpula, eine neue Röhrenwurm-Gattung aus dem Alt-Tertiär Chiles. Senck. leth. 38 1957: 29-36 l pl.

Wingert, J. R. see Ethington, R. L.

Wolska, Z. Konodontz y ordowickich glazów narzutowich Polski. Acta paleont. polon. 6: 339–366 6 pls. [English summary].

Ziegler, W. (1). Das Marburger Gotlandium. Notizbl. hess. Landesamt. Bodenforsch 85 1957: 67–74 4 figs.

Ziegler, W. (2). Conodontenfeinstratigraphische Untersuchungen an der Grenze Mitteldevon/Oberdevon und in der Adorfstufe. Notizbl. hess. Landesamt. Bodenforsch 87 1959: 7-77 12 pls. figs.

Ziegler, W. (3). Ctenognathodus Fay, 1959 or Spathognathodus Branson & Mehl, 1941? J. Paleont. 35: 1236-1238.

Zimmermann, E. Conodonten aus dem Oberdevon von Wildenfels (Sachsen). Freiberg. Forschungsh. C.89 1960: 177-229 9 pls.

SUBJECT INDEX

GENERAL

Bibliography.—Bibliography and index of conodonts, 1949-58, Ash, S. R.

Reviews.—Bibliography and index of Conodonts, Fay, R. O. (4); Cretaceous Conodonts from West Africa, Fay, R. O. (1).

Classification and Nomenclature.—A key to conodont genera and subgenera, also addenda, Fay, R. O.; (2) & (3) Devonian, Germany, Rietschel, S.; Ctenognathodus Fay, 1959 or Spathognathodus Branson & Mehl 1941?, Ziegler, W. (3)

Text Books.—Invertebrate Paleontology, Easton, W. H.

Technique.—Study of scolecodonts by transmitted light, Tasch, P. & Shaffer, B. L.

EVOLUTION

Invertebrate Paleontology, Easton, W. H.

GEOGRAPHICAL DISTRIBUTION

Europe.—Eocene Vermes, Spain, Battaler, J. R.; Devonian-Carboniferous, conodonts, Germany, Bender, H.; Carboniferous Conodonts, Germany, Bender, W. J.; Devonian conodonts, France, Erben, H. K. et al.; Devonian conodonts, Germany, Falke, H.; Conodonts, Oberdevon des Vogtlandes, Freyer, G.; Devonian conodonts, Germany, Greiling, L.; Die "nodocostata-Gruppe" der Gattung Polygnathus, Helms, J. (1); Some Namurian Conodonts from North Staffs., Higgins, A. C.; Palaeozoic conodonts, Germany, Kraemer, A.; Conodonts from the Crug limestone, Ordovician, Lindström, M.; Upper Devonian conodonts, France, Lys, M. & Serre, B. (1); Conodonts, Carbonifère Marin des Asturies, Lys, M. & Serre, B. (2); Lower Cambrian fossil worms from Torekov, Sweden, Malmborg, G.; Conodonts, Scoledodonts and Vermes, Zechsteinfauna, Germany, Malzahn, E.; Upper Devonian Conodonts from the Harz Mts., Germany, Reichstein, M.; Devonian fossil worms, Germany, Rietschel, S.; Devonian conodonts, Anjou, France, Serre, B. & Lys, M. (2); Devonian-Carboniferous conodonts, Germany, Stoppel, D.; Silurian conodonts, Germany, Walliser, O. H.; Conodonts from Ordovician Erratic Boulders, Poland, Wolska, Z.; Devonian conodonts, Germany, Ziegler, W. (1) & (2); Conodonts, Oberdevon von Wildenfels (Sachsen), Germany, Zimmermann, E.

Africa.—Cretaceous conodonts review, Fay, R. O. (1); Conodontes du Sahara, Petitot, M.-L. Remack-.

Australasia.—Carboniferous conodonts from Northwestern Australia, Glenister, B. F.; Conodonts from Samphire Marsh No. 1, Australia, Glenister, B. F. & Furnish, W. M.; Upper Cambrian conodonts, Queensland, Aust., Jones, P. J.

N. America.—Upper Devonian conodont correlations in Utah/Nevada, Clark, D. L. & Becker, J. H.; Oldest Conodonts found in Oklahoma, B[ranson], C. C.; Cambrian-Ordovician conodonts, Wyoming, Goodwin, P. W.; Palaeozoic conodonts from Bighorn Mts., Wyoming. Koucky, F. L. et al. also Ethington, R. L. et al.; Carboniferous conodonts, Missouri, Mehl, M. C.; Carboniferous Conodonts from Illinois, Rexroad, C. B. & Burton, R. C.; Preliminary range chart of Carboniferous Conodonts, Rexroad, C. B. & Collinson, C.; Carboniferous conodont correlation in Illinois Basin, Rexroad, C. B. & Jarrel, M. K.; Three new Upper Devonian Conodonts from Western Illinois, Scott, A. J.; Carboniferous Conodont faunas, Scott, A. J. & Collinson, C.; Permian conodonts, Texas, Sohn, I. G.; Ordovician conodonts from N. Dakota, Waldren, C. W.

Asia.—Permian conodonts from Nanking, China, China, Y. K.

S. America.—Tertiary fossil worms, Chile, Wetzel, W.

STRATIGRAPHICAL DISTRIBUTION

General Stratigraphy.—On conodonts, Sergeva, S. P.; Die Bedeutung der Conodonten, Helms, J. (2);

Palaeozoic Conodonts, Big Horn Mts., Wyoming, Koucky, F. L. et al. also Ethington, R. L. et al.; Palaeozoic conodonts, Germany, Kraemer, A.

Cambrian.—Cambrian-Ordovician conodonts, Wyoming, U.S.A., Goodwin, P. W.; Upper Cambrian conodonts, Queensland, Aust., Jones, P. J.; Fossil worms from Torekov, Sweden, Malmborg, G.

Ordovician.—Conodonts from Samphire Marsh No. 1, Australia, Glenister, B. F. & Furnish, W. M.; Conodonts from the Crug limestone, Wales, Lindström, M.; Condodonts from Winnipeg formation, N. Dakota, Waldren, C. W.; Conodonts from Erratic Boulders in Poland, Wolska, Z.

Silurian.-Conodonts, Germany, Walliser, O. H.

Devonian.—Conodonts, Germany, Bender, H.; Conodont correlations in Utah/Nevada, Clark, D. L. & Becker, J. H.; Conodonts, France, Erben, H. K. et al.; Conodonts from Big Horn Mts., Wyoming, Ethington, R. L. et al.; Conodonts, Germany, Falke, H.; Conodonts, Oberdevon des Vogtlandes, Freyer, G.; Conodonts, Germany, Greiling, L.; Die "nodocostata-Gruppe" der Gattung Polygnathus, Helms, J. (1); Conodonts france, Lys, M. & Serre, B. (1); Conodonts du Sahara, Petitot, M.-I. Remack-; Conodonts from Harz Mts., Germany, Reichstein, M.; Conodonts, Germany, Rietschel, S.; Conodonts, France, Serre, B. & Lys, M. (2); Three new Conodonts from Western Illinois, Scott, A. J.; Conodonts, Germany, Stoppel, D.; Conodonts, Germany, Ziegler, W. (1) & (2); Conodonts, Oberdevon von Wildenfels (Sachsen), Zimmermann, E.

Carboniferous.—Conodonts, Scotland, Clarke, W. J.; Conodonts and ammonoids from Northwestern Australia, Glenister, B. F.; Conodonts from North Staffs., Higgins, A. C.; Conodonts, Marin des Asturies (Espagne), Lys, M. & Serre, B. (2); Mississippian conodonts, Missouri, U.S.A., Mehl, M. C.; Conodonts from Kinkaid form., Illinois, Rexroad, C. B. & Burton, R. C.; Conodont correlation in Illinois Basin, Rexroad, C. B. & Jarrel, M. K.; Conodont faunas from Illinois, Iowa and Missouri, Scott, A. J. & Collinson, C.; Preliminary range chart of conodonts from Illinois Basin, Rexroad, C. B. & Collinson, C.

Permian.—Conodonts from Kufeng suite, Nanking, Ching, Y. K.; Conodonts, Scolecodonts and Vermes, Zechsteinfauna, Germany, Malzahn, E.; Conodonts from Cherry Canyon Formation, Texas, Sohn, I. G.

Gretaceous.—West African Conodonts review Fay, R. O. (1).

Tertiary.—Eocene Vermes, Spain, Bataller, J. R.; Fossil worms, Chile, Wetzel, W.

SYSTEMATIC INDEX

Acodina curvata, p. 31 fig., delata, p. 31, Upper Devonian, Germany, Freyer, G.—A. delata, p. 186 figs., Upper Devonian, Germany, Zimmermann, E.—A. lirata, p. 31 fig., zionensis, p. 32 fig., Upper Devonian, Germany, Freyer, G.

Acodus robustus, p. 433 figs., similaris, p. 435 figs., Ordovician, Wales, Lindström, M.

Acontiodus rectus, p. 345 fig., cf. rectus var. sulcatus, p. 345 fig., sp., p. 346 fig., Ordovician, Poland, Wolska, Z. Ambalodus elegans, p. 435 figs., pulcher, pl 435 figs., triangularis, p. 435 figs., Ordovician, Wales, Lindström, M.—A. sp. 5, p. 346 figs., Ordovician, Poland, Wolska,

Amorphognathus cf. ordovicica, p. 346 figs., Ordovician, Poland, Wolska, Z.—A. cf. ordovicica, p. 436 figs., sp. nov., p. 437 figs., Ordovician, Wales, Lindström, M.

Ancyrodella buckeyensis, p. 40 fig., Devonian, Germany, Ziegler, W. (2)—A. curvata, p. 32 fig., Upper Devonian, Germany, Freyer, G.—A. curvata, p. 40 fig., gigas, p. 41 figs., ioidss, p. 42 figs., lobata, p. 43 figs., Devonian, Germany, Ziegler, W. (2)—A. lobata, p. 32, nodosa, p. 33, Upper Devonian, Germany, Freyer, G.—A. nodosa, p. 44 figs., rotundiloba, p. 44 figs., rugosa, p. 45, Devonian, Germany, Ziegler, W. (2)—A. sp. innom., p. 121, Carboniferous, Illinois, Scott, A. J. & Collinson, C.

Ancyrognathus asymmetrica, p. 45 figs., bifurcata, p. 47 figs., calvini, p. 48 fig., Devonian, Germany, Ziegler, W. (2)—A. euglypheus, p. 33 figs., Upper Devonian, Germany, Freyer, G.—A. triangularis, p. 49 figs., Devonian, Germany, Ziegler, W. (2)

Angulodus bidentatus, p. 34, cf. gravis, p. 34, walrathi, p. 35 fig., sp. nov. A, p. 35 fig., Upper Devonian, Germany, Freyer, G.

Apatognathus geminus, p. 4 figs., Carboniferous, Scotland, Clarke, W. J.—A. inversa, p. 36 fig., Upper Devonian, Germany, Freyer, G.—A. inversus, p. 122 fig., lipperti, p. 122 fig., Carboniferous, Illinois, Scott, A. J. & Collinson, C.—A. cf. lipperti, p. 36, Upper Devonian, Germany, Freyer, G.—A. porcalus, p. 5 figs., Carboniferous, Scotland, Clarke, W. J.—A. varians, p. 763 fig., Upper Devonian, Wyoming, Ethington, R. L. et al.—A. varians, p. 36 fig., Upper Devonian, Germany, Freyer, G.—sp. nov. A, p. 36 figs., Upper Devonian, Germany, Freyer, G.—sp. nov. A, p. 122 figs., Carboniferous, Illinois, Scott, A. J. & Collinson, C.

? Arabellites cf. comis, p. 109 fig., sp., p. 109 fig., Permian, Germany, Malzahn, E.

Avignathus orthoptera sp. nov., p. 51 figs., Devonian, Germany, Ziegler, W. (2)

Belodus devonicus, p. 37 fig., erectus, p. 37, triangularis, p. 37 fig., Upper Devonian, Germany, Freyer, G.

Bryantodus argutus, p. 38, cf. curvatus, p. 38, cf. flexus, p. 38, nitidus, p. 38, pravus, p. 39, subbrevis, p. 39, subradiatus, p. 39, transitans, p. 39, Upper Devonian, Germany, Freyer, G.—B. sp. innom., p. 122 fig., Carboniferous, Illinois, Scott, A. J. & Collinson, C.

Cavusgnathus conexa, p. 1151 fig., cristata, p. 1151 fig., Carboniferous, Illinois, Rexroad, C. B. & Burton, R. C.—C. inflexa sp. nov., p. 23 figs., navicula, p. 23 figs., carboniferous, Scotland, Clarke, W. J.—C. navicula, p. 1151 figs., regularis, p. 1152 figs., unicornis, p. 1152 figs., Carboniferous, Illinois, Rexroad, C. B. & Burton, R. C.

Centrognathodus delicatus, p. 40 fig., Upper Devonian, Germany, Freyer, G.

Cladognathodus prima, p. 1152 figs., Carboniferous, Illinois, Rexroad, C. B. & Burton, R. C.

Illinois, Rexroad, C. B. & Burton, R. C. Cordylodus cf. spurius, p. 438 figs., sp. nov., p. 438 figs., Ordovician, Wales, Lindström, M.

Ctenognathus pseudofissilis sp. nov., p. 439 figs., Ordovician, Wales, Lindström, M.

Ctenopolygnathus sp., p. 186 fig., Upper Devonian, Germany, Zimmermann, E.

Dinodus fragosus, p. 122 fig., Carboniferous, Illinois, Scott, A. J. & Collinson, C.

Distacodus expansus, p. 347 figs., stola, p. 348 figs., sp., p. 348 fig., Ordovician, Poland, Wolska, Z.

Drepanodus cf. crassus, p. 187 fig., Upper Devonian, Germany, Zimmermann, E.—D. homocurvatus, p. 348 figs., simplex, p. 349 figs., cf. subarcuatus, p. 349 figs., suberectus, p. 349 figs., Ordovician, Poland, Wolska, Z.—D. sp. noy., p. 33 figs., Silurian, Germany, Walliser, O. H.—D. sp., p. 439 fig., Ordovician, Wales, Lindström, M.

Elictognathus lacerata figs., Devonian-Carboniferous, Moravia, **Dvorak**, J. & **Freyer**, G.—E. lacerata, p. 123, Carboniferous, Illinois, **Scott**, A. J. & **Collinson**, C.

Elsonella? imperfecta, p. 1152 fig., Carboniferous, Illinois, Rexroad, C. B. & Burton, R. C.—E.? imperfecta, p. 6, Carboniferous, Illinois, Rexroad, C. B. & Collinson, C.—E. prima, p. 40 fig., Upper Devonian, Germany, Freyer, G.

Euniscites sp., p. 109, Permian, Germany, Malzahn,

Euprioniodina glencartensis, p. 5 fig., Carboniferous, Scotland, Clarke, W. J.

Falcodus cf. aculeatus, p. 40, Upper Devonian, Germany, Freyer, G.—F? alatoides sp. nov., p. 1152 fig., Carbonierous, Illinois, Rexroad, C. B. & Burton, R. C.—F. aff. angulus, p. 41, Upper Devonian, Germany, Freyer, G.—F. cf. conflexus, p. 187 figs., Upper Devonian, Germany, Zimmermann, E.—F. gunthari sp. nov., p. 52 figs., Devonian, Germany, Ziegler, W. (2).—F. ultimus, p. 41, variabilis, p. 41 fig., Upper Devonian, Germany, Freyer, G.—F. variabilis, p. 123 fig., Carbonierous, Illinois, Scott, A. J. & Collinson, C.—F. sp. a, p. 187 fig., sp. b, p. 187 fig., Upper Devonian, Germany, Zimmermann, E.—F. sp. b, p. 42 fig., sp. c, p. 42, Upper Devonian, Germany, Freyer, G.—F. sp. nov., p. 53 fig., Devonian, Germany, Ziegler, W. (2)—F. sp., p. 42 fig., sp., p. 43 fig., Upper Devonian, Germany, Freyer, G.—F. sp. nov., p. 53 figs. Ordovician Poland Wolska.

Falodus sp., p. 350 figs., Ordovician, Poland, Wolska,

Gnamptognathus walliseri gen. nov., sp. nov., p. 54 figs., Devonian, Germany, Ziegler, W. (2)

Gnathodus bilineatus, p. 7, Carboniferous, Illinois, Rexroad, C. B. & Collinson, C.—G. bilineatus bilineatus, p. 891 figs., Carboniferous, Spain, Lys, M. & Serre, B. (2)—G. clavatus sp. nov., p. 25 figs., Carboniferous, Scotland, Clarke, W. J.—G. commutatus, p. 212, Carboniferous, North Staffs., Higgins, A. C.—G. commutatus, p. 1153 figs., Carboniferous, Illinois, Rexroad, C. B. & Burton, R. C.—G. cc. commutatus, p. 123 figs., Carboniferous, Illinois, Scott, A. J. & Collinson, C.—G. commutatus commutatus, p. 212 figs., Carboniferous, North Staffs., Higgins, A. C.—G. commutatus commutatus, p. 891 figs., carboniferous, Spain, Lys, M. & Serre, B. (2)—G. cruciformis sp. nov., p. 25 figs., Carboniferous, Scotland, Clarke, W. J.—G. kockeli, p. 124 fig., Carboniferous, Illinois, Scott, A. J. & Collinson, C.—G. smithi sp. nov., p. 26 figs., Carboniferous, Scotland, Clarke, W. J.—G. sp. a, p. 43 fig., Upper Devonian, Germany, Freyer, G.

Gondolella nankingensis sp. nov., p. 246 figs., cf. navicula, p. 246 fig., Permian, China, Ching, Y. K.

Hibbardella divergens, p. 124 fig., Carboniferous, Illinois, Scott, A. J. & Collinson, C.—H. fragilis, p. 213 figs., Carboniferous, North Staffs., Higgins, A. C.

—H. fragilis, p. 1153 fig., milleri, p. 1153 figs., ortha, p. 1153 figs., Carboniferous, Illinois, Rexroad, C. B. & Burton, R. C.—H. ortha, p. 6 fig., Carboniferous, Scotland, Clarke, W. J.—H. bennala sp. nov., p. 213 figs., Carboniferous, North Staffs., Higgins, A. C.—H. plana, p. 43, Upper Devonian, Germany, Freyer, G.—H. sp. nov. A, p. 124 figs., sp. nov. B, p. 125 fig., Carboniferous, Illinois, Scott, A. J. & Collinson, C.

Hindeodella austinensis, p. 44, cf. austinensis, p. 44, brevis, p. 44 fig., Upper Devonian, Germany, Freyer, G.—
H. complex, p. 7 fig., Carboniferous, Scotland, Clarke, W. J.—H. deflecta, p. 45, Upper Devonian, Germany, Freyer, G.—H. deflecta, p. 125 fig., elongata, p. 125 fig., enacerata, p. 126 fig., Carboniferous, Illinois, Scott, A. J. & Collinson, C.—H. equidentata, p. 34 fig., Silurian, Germany, Walliser, O. H.—H. germana, fig., Devonian-Carboniferous, Moravia, Dvorak, J. & Freyer, G.—H. germana, p. 45 figs., priscilla, p. 45, cf. priscilla, p. 46 fig., similis, p. 46 figs., subtilis, p. 46, Upper Devonian, Germany, Freyer, G.—H. tenuis sp. nov., p. 8 figs., Carboniferous, Scotland, Clarke, W. J.—H. cf. uncata, p. 126 figs., Carboniferous, Illinois, Scott, A. J. & Collinson, C.—H. sp. nov.?, p. 7 fig., Carboniferous, Scotland, Clarke, W. J.—H. et. uncata, p. 126 figs., Carboniferous, Ethington, R. L. et al.—H. spp. innom., p. 1154, Carboniferous, Illinois, Rexroad, C. B. & Burton, R. C.—? H. sp., p. 243 fig., Permian China, Ching, Y. K.—H.? sp. innom., p. 126 fig., Carboniferous, Illinois, Scott, A. J. & Collinson, C.—H.? sp., p. 9 figs., Carboniferous, Scotland, Clarke, W. J.—H.? sp., p. 439 fig., Ordovician, Wales, Lindström, M.

Ieriodella superba, p. 440 figs., Ordovician, Wales, Lindström, M.

Icriodus cornutus, p. 47 figs., curvatus, p. 47, cymbiformis, p. 47 fig., nodosus, p. 47 fig., Upper Devonian, Germany, Freyer, G.—I. nodosus, p. 188 figs., Upper Devonian, Germany, Zimmermann, E.—I. symmetricus, p. 48, Upper Devonian, Germany, Freyer, G.—I. sp. nov., p. 55 fig., Devonian, Germany, Ziegler, W. (2).

Idiognathodus cf. magnificus, p. 28 figs., Carboniferous, Scotland, Clarke, W. J.

Keislognathus gracilis, p. 350 figs., Ordovician, Poland, Wolska, Z.

Kockelella variabilis gen. nov., sp. nov., p. 35 figs., Silurian, Germany, Walliser, O. H.

Lambdagnathus macrodentata sp. nov., p. 214 figs., Carboniferous, North Staffs., Higgins, A. C.

Leodiscites aff. artus, p. 109 fig., sp., p. 109 fig., Permian, Germany, Malzahn, E.

Ligonodina complectens sp. nov., p. 9 figs., craigi sp. nov., p. 10 figs., Carboniferous, Scotland, Clarke, W. J.—
L. delicata, p. 48, cf. delicata, p. 50, Upper Devonian, Germany, Freyer, G.—L. diverce sp. nov., p. 96 figs., Silurian, Germany, Walliser, O. H.—L. elongata, p. 440 figs., Ordovician, Wales, Lindström, M.—L. falciformis, p. 50 fig., franconica p. 50, Upper Devonian, Germany, Freyer, G.—L. hamata, p. 1154 figs., Carboniferous, Illinois, Rexroad, C. B. & Burton, R. C.—L. ingens sp. nov., p. 37 fig., Silurian, Germany, Walliser, O. H.—L. levis, p. 1154 figs., Carboniferous, Illinois, Rexroad, C. B. & Burton, R. C.—L. loisas sp. nov., p. 11 fig., Carboniferous, Scotland, Clarke, W. J.—L. monodentata, p. 50 figs., robusta, p. 51 fig., Upper Devonian, Germany, Freyer, G.—L. robusta, p. 763 fig., Upper Devonian, Wyoming, Ethington, R. L. et al.—L. silurica, p. 38 fig., Silurian, Germany, Walliser, O. H.—L. tulensis, p. 11 fig., Carboniferous, Scotland, Clarke,

W. J.—L. typa, p. 51, Upper Devonian, Germany, Freyer, G.—L. ultima sp. nov., p. 12 figs., Carboniferous, Scotland, Clarke, W. J.—L. sp. a, p. 188 fig., sp. b, p. 188 fig., Upper Devonian, Germany, Zimmermann, E.—L. sp. nov. innom., p. 1154 figs., Carboniferous, Illinois, Rexroad, C. B. & Burton, R. C.—L. sp. innom., p. 126 fig., Carboniferous, Illinois, Scott, A. J. & Collinson, C.

Lonchodina brevipennata, p. 51 fig., compressa, p. 52 fig., curvata, p. 52 fig., curvata, p. 52 fig., discreta, p. 52 fig., cf. discreta, p. 53, Upper Devonian, Germany, Freyer, G.—L. distans, p. 127 figs., Carboniferous, Illinois, Scott, A. J. & Collinson, C.—L.? cf. sreeta, p. 53 fig., Upper Devonian, Germany, Freyer, G.—L. greilingi sp. nov., p. 38 figs., Silurian, Germany, Walliser, O. H.—L. lungtanensis sp. nov., p. 244 fig., Permian, China, Ching, Y. K.—L. multidens, p. 53, Upper Devonian, Germany, Freyer, G.—L. pirsoni sp. nov., p. 55 figs., Devonian, Germany, Ezegler, W. (2)—L. projecta, p. 53, cf. projecta, p. 54 fig., ramulata, p. 54 fig., L.? recurvata, p. 54 fig., richteri, p. 54, subsymmetrica, p. 54 fig., torta, p. 55, valida, p. 55 fig., Upper Devonian, Germany, Freyer, G.—L. sp. nov. (a), p. 39 figs., sp. nov. (b), p. 40 figs., Silurian, Germany, Walliser, O. H.—L. sp., p. 189 fig., Upper Devonian, Germany, Zimmermann, E.

Lonchodus sp., p. 245 fig., Permian, China, Ching, Y. K.

Lumbriconsrites sp., p. 109 figs., Permian, Germany, Malzahn, E.

Mestognathus bipluti sp. nov., p. 216 figs., Carboniferous, North Staffs., Higgins, A. C.

Metalonchodina conflecta sp. nov., p. 17 fig., Carboniferous, Scotland, Clarke, W. J.

Neoprioniodus alatus, p. 127 fig., armata, p. 127 figs., Carboniferous, Illinois, Scott, A. J. & Collinson, C.—
N. brevis sp. nov., p. 13 fig., Carboniferous, Scotland, Clarke, W. J.—N. camurus, p. 1155 fig., Carboniferous, Illinois, Rexroad, C. B. & Burton, R. C.—N. lanceolatus sp. nov., p. 244 figs., Permian, China, Ching, Y. K.—N. loxus, p. 1155 fig., Carboniferous, Illinois, Rexroad, C. B. & Burton, R. C.—N. nankingensis sp. nov., p. 244 fig., Permian, China, Ching, Y. K.—N. peracutus, p. 14 fig., Carboniferous, Scotland, Clarke, W. J.—N. scitulus, p. 1155 figs., Carboniferous, Illinois, Rexroad, C. B. & Burton, R. C.—N. scitulus, p. 8, Carboniferous, Illinois, Rexroad, C. B. & Burton, R. C.—N. spathatus sp. nov., p. 217 figs., Carboniferous, North Staffs., Higgins, A. C.—N. varians, p. 1155 figs., Carboniferous, Illinois, Rexroad, C. B. & Burton, R. C.—N. spathatus sp. nov., p. 217 figs., Carboniferous, North Staffs., Higgins, A. C.—N. varians, p. 1155 figs., Carboniferous, Illinois, Rexroad, C. B. & Burton, R. C.—N. sp. innom., p. 764, Upper Devonian, Wyoming, Ethington, R. L. et al.

Nereidavus sp., p. 109, Permian, Germany, Malzahn,

Nothognathella abnormis, p. 55, angusta, p. 56, condita, p. 56 figs., iowaensis, p. 56 figs., polygnathoidea, p. 56 fig., Upper Devonian, Germany, Freyer, G.—N. sublaevis, p. 189 figs., Upper Devonian, Germany, Zimmermann, E.—N. typicalis, p. 57, Upper Devonian, Germany, Freyer, G.—N. cf. typicalis, p. 189 fig., sp., p. 190 fig., Upper Devonian, Germany, Zimmermann, E.—sp. innom., p. 127 fig., Carboniferous, Illinois, Scott, A. J. & Collinson, C.

Oistodus excelsus, p. 351 figs., forceps, p. 351 figs., inclinatus, p. 351 figs., Ordovician, Poland, Wolska, Z.—O. cf. inclinatus, p. 440 fig., Ordovician, Wales, Lind-

ström, M.—O. parallelus, p. 352 fig., Ordovician, Poland, Wolska, Z.—O. sp. nov., p. 440 fig., O. ? sp., p. 441 figs., Ordovician, Wales, Lindström, M.

Ozarkodina chengbanshanensis sp. nov., p. 245 figs., Permian, China, Ching, Y. K.—O. compressa, p. 1156 figs., Carboniferous, Illinois, Rexroad, C. B. & Burton, R. C.—O. cf. congesta, p. 57, Upper Devonian, Germany, Freyer, G.—O. chroad, p. 1156 figs., delicatula, p. 1156 fig., Carboniferous, Illinois, Rexroad, C. B. & Burton, R. C.—O. delicatula, p. 57, elegans, p. 57, elongata, p. 58 fig., Upper Devonian, Germany, Freyer, G.—O. hindei sp. nov., p. 18 figs., Carboniferous, Scotland, Clarke, W. J.—O. homoarcuata, p. 58 fig., Upper Devonian, Germany, Freyer, G.—O. homoarcuata, fig., lacera, fig., Devonian-Carboniferous, Moravia, Dvorak, J. & Freyer, G.—O. lacera, p. 59 fig., Upper Devonian, Germany, Freyer, G.—O. langtanensis sp. nov., p. 245 figs., Permian, China, Ching, Y. K.—O. media sp. nov., p. 40 figs., Silurian, Germany, Walliser, O. H.—O. millensis, p. 59, multidentata, p. 59, Upper Devonian, Germany, Freyer, G.—O. plana, p. 128, Carboniferous, Illinois, Scott, A. J. & Collinson, C.—O. pseudophica sp. nov., p. 41 figs., Ordovician, Wales, Lindström, M.—O. regularis, p. 764, Upper Devonian, Germany, Freyer, G.—O. homos, p. 441 figs., Ordovician, Germany, Freyer, G.—O. homos, p. 352 figs., p. 59 fig., rhenana, p. 60 fig., Upper Devonian, Germany, Preyer, G.—O. rhodesi sp. nov., p. 441 figs., Ordovician, Poland, Wolska, Z.—O. ziegleri sp. nov., p. 41 figs., Silurian, Germany, Freyer, G.—O. sp. nov., p. 18 figs., Carboniferous, Illinois, Scott, A. J. & Collinson, C.—O. spen, p. 18 figs., Carboniferous, Illinois, Scott, A. J. & Collinson, C.—O. sp., p. 18 figs., Carboniferous, Illinois, Scott, A. J. & Collinson, C.—O. sp., p. 18 figs., Carboniferous, Scotland, Clarke, W. J.—O. ? sp., p. 42 figs., Silurian, Germany, Walliser, O. H.—O. sp. A. p. 60 figs., Upper Devonian, Germany, P. 20 figs., Silurian, Germany, Freyer, G.—O. sp., p. 18 figs., Carboniferous, Scotland, Clarke, W. J.—O. ? sp., p. 42 figs., Silurian, Germany, Freyer, G.—O. sp., p. 18 figs., Carboniferous, Scotland, Clarke, W. J.—O. ? sp., p. 26 fig

Palmatodella delicatula, p. 60 figs., Upper Devonian, Germany, Freyer, G.—P. delicatula, p. 128 fig., Carboniferous, Illinois, Scott, A. J. & Collinson, C.—P. orthogonica sp. nov., p. 56 figs., Devonian, Germany, Ziegler, W. (2)—P. unca, p. 61 fig., sp. a, p. 61 fig., Upper Devonian, Germany, Freyer, G.

Palmatolepis ampla, p. 62 figs., Upper Devonian, Germany, Freyer, G.—P. cf. ampla, p. 191 fig., Upper Devonian, Germany, Freyer, G.—P. cf. ampla, p. 191 fig., Upper Devonian, Germany, Ziggler, W. (2).—P. coronata, p. 62, crepida, p. 62, Upper Devonian, Germany, Freyer, G.—P. crepida, p. 59 figs., Devonian, Germany, Ziegler, W. (2).—P. floating figs., Devonian, Germany, Ziegler, W. (2).—P. floating figs., Devonian, Germany, Ziegler, W. (2).—P. glabra, p. 59 figs., Devonian, Germany, Ziegler, W. (2).—P. glabra, p. 62, figs., Upper Devonian, Germany, Freyer, G.—P. glabra, p. 129 figs., Carboniferous, Illinois, Scott, A. J. & Collinson, C.—P. glabra elongata fig., Devonian-Carboniferous, Moravia, Dvorak, J. & Freyer, G.—P. gracilis, p. 64 fig., Upper Devonian, Germany, Freyer, G.—P. gracilis, p. 129 fig., Carboniferous, Moravia, Dvorak, J. & Freyer, G.—P. gracilis, p. 129 fig., Carboniferous, Moravia, Dvorak, J. & Freyer, G.—P. gracilis, p. 129 fig., Devonian-Carboniferous, Moravia, Dvorak, J. & Freyer, G.—P. gracilis figs., Devonian, Germany, Ziegler, W. (2).—P. inflexa fig., Upper Devonian, Germany, Freyer, G.—P. inflexa? p. 191 figs., Upper Devonian, Germany, Freyer, G.—P. inflexa? p. 191 figs., Upper Devonian, Germany, Freyer, G.—P. inflexa figs., Devonian, Germany, Freyer, G.—P. inflexa, Devonian, Germany, Freyer, G.—P. inflexa, Devonian, Germany, Freyer, G.—P. martenbergensis, p. 61 figs., Devonian, Germany, Ziegler, W. (2).—P. maxima, p. 65 figs., minuta, p. 65 figs., Upper Devonian, Germany, Freyer, G.—P. innuta, p. 65 figs., Upper Devonian, Germany, Freyer, G.—P. innuta, p. 65 figs., Upper Devonian, Germany, Freyer, G.—P. innuta, p. 65 figs., Upper Devonian, Germany, Freyer, G.—P. innuta, p. 65 figs., Upper Devonian, Germany, Freyer, G.—P. innuta, p. 65 figs., Upper Devonian, Germany, Freyer, G.—P. innuta, p. 65 figs., Upper Devonian, Germany, Freyer, G.—P. innuta, p. 65 figs., Upper Devonian, Germany, Freyer, G.—P. innuta, p. 65 figs.

G.—P. minuta, pl 129, Carboniferous, Illinois, Scott, A. J. & Collinson, C.—P. nasuta, p. 65, perlobata, p. 65, perlobata, p. 65, perlobata, p. 65, perlobata, p. 61, p. 61 fig., Devonian, Germany, Freyer, G.—P. perlobata schindewolfi figs., Devonian-Carboniferous, Moravia, Dvorak, J. & Freyer, G.—P. prominens, p. 66 fig., Upper Devonian, Germany, Freyer, G.—P. proversa sp. nov., p. 62 figs., Devonian, Germany, Ziegler, W. (2)—P. quadrantinodosalobata, p. 66, Upper Devonian, Germany, Freyer, G.—P. quadrantinodosalobata, p. 129 fig., Carboniferous, Illinois, Scott, A. J. & Collinson, C.—P. rhenana, p. 63 figs., Devonian, Germany, Ziegler, W. (2)—P. rhomboidea, p. 66, rugosa, p. 66, schindewolfi, p. 67 fig., Upper Devonian, Germany, Freyer, G.—P. cf. schindewolfi, p. 191 figs., Upper Devonian, Germany, Zimmermann, E.—P. subgracitis, p. 67 fig., Upper Devonian, Germany, Freyer, G.—P. thansitans, p. 66 figs., Devonian, Germany, Freyer, G.—P. thansitans, p. 66 figs., Devonian, Germany, Freyer, G.—P. transitans, p. 66 figs., Devonian, Germany, Freyer, G.—P. prinagularis, p. 68 figs., Upper Devonian, Germany, Freyer, G.—P. prinagularis, p. 67 figs., upper Devonian, Germany, Freyer, G.—P. prinagularis, p. 67 figs., Upper Devonian, Germany, Freyer, G.—P. prinagularis, p. 1672 figs., (M.) marginata var. A, p. 1672 figs., (M.) marginata var. A, p. 1672 figs., (M.) marginata var. B, p. 1672 figs., (M.) p. 1673 fig., (M.) subrectla, p. 1673 fig., (P.) subperlobata, p. 1672 figs., Upper Devonian, Utah/Nevada, Clark, D. L. & Becker, J. H.—P. sp. a, p. 68 fig., Upper Devonian, Germany, Freyer, G.—P. sp. innom., p. 764, Upper Devonian, Germany, Freyer, G.—P. sp. innom., p. 764, Upper Devonian, Germany, Freyer, G.—P. sp. innom., p. 765, Upper Devonian, Germany, Freyer, G.—P. sp. innom., p. 764, Upper Devonian, Germany, Freyer, G.—P. sp. innom., p. 764, Upper

Paltodus compressus, p. 42 fig., cf. compressus, p. 42 fig., cf. recurvatus, p. 42 figs., unicostatus, p. 43 fig., sp. nov., p. 43 fig., Silurian, Germany, Walliser, D. H.

Panderodus cornutus, p. 353 figs., gracilis, p. 353 figs., unicostatus, p. 353 figs., Ordovician, Poland, Wolska, Z.

Paracordylodus sp. 2, p. 354 figs., Ordovician, Poland, Wolska, Z.

Pelekysgnathus darbyensis, p. 765 figs., Upper Devonian, Wyoming, Ethington, R. L. et al.

Plectospathodus extensus, p. 43 figs., Silurian, Germany, Walliser, O. H.

Polycaulodus? sp., p. 192 figs., Upper Devonian, Germany, Zimmermann, E.

Polygnathodella tenuis sp. nov., p. 28 figs., spp., p. 28 figs., Carboniferous, Scotland, Clarke, W. J.

Polygnathoides emarginatus, p. 45 figs., siluricus, p. 45 figs., Silurian, Germany, Walliser, O. H.

Polygnathus ancyrognathoidea sp. nov., p. 69 figs., Devonian, Germany, Ziegler, W. (2).—P. brevilamina, p. 69, communis, p. 70, Upper Devonian, Germany, Freyer, G.—P. communis figs., Devonian-Carboniferous, Moravia, Dvorak, J. & Freyer, G.—P. communis, p. 130 figs., communis bifurcata, p. 130 fig., Carboniferous, Illinois, Scott, A. J. & Collinson, C.—P. decorosa figs., Devonian-Carboniferous, Moravia, Dvorak, J. & Freyer, G.—P. decorosa, p. 70, Upper Devonian, Germany, Freyer, G.—P. diversa, p. 681 figs., flaccida sp. nov., p. 681 figs., Upper Devonian, Germany, Helms, J. (1).—P. glabra, p. 70 fig., granulosa, p. 71, Upper Devonian, Germany, Freyer, G.—P. granulosa, p. 682 figs., hassi sp. nov., p. 684 figs., cf. hassi sp. nov., p. 682 figs., hassi sp. nov., p. 684 figs., cf. hassi sp. nov.,

8

p. 685 fig., Upper Devonian, Germany, Helms, J. (1).—
P. inornala, p. 71 fig., Upper Devonian, Germany,
Freyer, G.—P. irregularis, p. 685 figs., Upper Devonian,
Germany, Helms, J. (1)—P. lanceolata, p. 72, cf.
longipostica, p. 72, nodocostata, p. 72, Upper Devonian,
Germany, Freyer, G.—P. nodocostata p. 686, nodocostata
incurva n. subsp., p. 686 figs., nodocostata nodocostata,
p. 687 figs., nodocostata ovata n. subsp., p. 688 figs.,
nodoundata sp. nov., p. 690 figs., cf. nodoundata sp. nov.,
p. 691 figs., Upper Devonian, Germany, Helms, J.
(1).—P. normalis, p. 72 figs., ordinata, p. 73, pennata, p. 73
fig., pennatula, p. 73, Upper Devonian, Germany,
Freyer, G.—P. pennatuloidea, p. 691 figs., cf. pennatuloidea, p. 692 figs., Upper Devonian, Germany,
Helms, J. (1).—P. permarginata, p. 74 fig., Upper Devonian,
Germany, Freyer, G.—P. perplexa, p. 692 figs., cf.
perplexa, p. 693 fig., Upper Devonian, Germany,
Helms, J. (1).—P. procera, p. 74 fig., Upper Devonian,
Germany, Freyer, G.—P. cf. procera, p. 172 figs., Upper
Devonian, Germany, Zimmermann, E.—P. rhomboidea,
p. 694 figs., Upper Devonian, Germany, Helms, J.
(1).—P. rimulata, p. 74, semicostata, p. 75,
sinelamina, p. 75, Upper Devonian, Germany, Freyer,
G.—P. styriaca, p. 695 figs., Upper Devonian, Germany,
Helms, J. (1)—P. triangularis p. 765, Upper Devonian,
Wyoming, Ethington, R. L. et al.—P. triphyllata, p. 696
figs., Upper Devonian, Germany, Helms, J.
(1).—P. varca, p. 75 fig., ? variabilis, p. 75, Upper Devonian,
Germany, Freyer, G.—P. upomingensis, p. 765 figs.,
Upper Devonian, Germany, Helms, J. (1).—
P. varca, p. 79 fig., Upper Devonian, Germany, Helms, J.
(1).—P. p. 79 fig., Upper Devonian, Germany, Helms, J.
(1).—P. p. 79 fig., Upper Devonian, Germany, Helms, J.
(1).—P. p. 193 fig., sp. b, p. 193 fig., sp. c, p. 193
figs., Upper Devonian, Germany, Helms, J.
(1).—P. sp. a, p. 193 fig., sp. b, p. 193 fig., sp. c, p. 193
figs., Upper Devonian, Germany, Helms, J.
(1).—P. sp. a, p. 193 fig., sp. b, p. 193 fig., sp. c, p. 193
figs., Upper Devonian, Germ

Polyphodonia confluens p. 698 figs., gyratilineata p. 699 figs., linguiformis, p. 699 figs., Upper Devonian, Germany, Helms, J. (1).

Prioniodella aequidens p. 76, Upper Devonian, Germany, Freyer, G.—P. cf. aequidens, p. 194 fig., Upper Devonian, Germany, Zimmermann, E.—P. cunea, p. 76 fig., gracilis, p. 77, informata, p. 77 fig., Upper Devonian, Germany, Freyer, G.

Prioniodina alata, p. 77 fig., Upper Devonian, Germany, Freyer, G.—P. alata?, p. 194 fig., Upper Devonian, Germany, Zimmermann, E.—P. alternata, p. 78 fig., armata, p. 78 fig., Upper Devonian, Germany, Freyer, G.—P. ef. armata, p. 45 figs., Silurian, Germany, Walliser, O. H.—P. barbata fig., Devonian-Carbonierous, Moravia, Dvorak, J. & Freyer, G.—P. bicurvata, p. 46 figs., Silurian, Germany, Walliser, O. H.—P. deflecta, p. 79 fig., Upper Devonian, Germany, Walliser, O. H.—P. cf. flabellum, p. 354 figs., Ordovician, Poland, Wolska, Z.—P. prona fig., Devonian, Carboniferous, Moravia, Dvorak, J. & Freyer, G.—P. prona, p. 79 figs., Upper Devonian, Germany, Freyer, G.—P. prona, p. 79 figs., Upper Devonian, Germany, Freyer, G.—P. prona, Upper Devonian, Germany, Freyer, G.—P. policherrina sp. nov., p. 442 figs., Ordovician, Wales, Lindström, M.—P. smithi, p. 79 figs., sp. a, p. 80 figs., Upper Devonian, Germany, Freyer, G.—P. pp. nov., p. 47 fig., Silurian, Germany, Walliser, O. H.

Prioniodus alatus, p. 355 figs., evae, p. 355 figs., Ordovician, Poland, Wolska, Z.—P. variabilis, p. 444 figs., Ordovician, Wales, Lindström, M.—P. cf. variabilis p. 356 figs., sp. 1, p. 356 fig., Ordovician, Poland, Wolska, Z.

Pseudopolygnathus? cf. kayseri, p. 80 fig., marbiagensis, p. 80, micropunctata, p. 81 fig., Upper Devonian, Germ-

any, Freyer, G.—P. cf. micropunctata, p. 195 figs., Upper Devonian, Germany, Zimmermann, E.—P. prima, p. 81, striata, p. 81, Upper Devonian, Germany, Freyer, G.—P. triangula triangula, figs., Devonian-Carboniferous, Moravia, Dvorak, J. & Freyer, G.—P. sp., p. 195 figs., Upper Devonian, Germany, Zimmermann, E.

Pygodus anserinus, p. 357 figs., Ordovician, Poland, Wolska, Z.

Roundya awita, p. 81, brevipennata, p. 81 fig., delicata, p. 82, Upper Devonian, Germany, Freyer, G.—R. divaricata, p. 444 figs., Ordovician, Wales, Lindström, M.—R. franca, p. 82, Upper Devonian, Germany, Freyer, G.—R. cf. gracilis, p. 446 figs., Ordovician, Wales, Lindström, M.—R. latipennata sp. nov., p. 70 fig., Devonian, Germany, Ziegler, W. (2).—R. prava, p. 82, separata, p. 82, triangularis, p. 82 fig., sp. nov. a, p. 83 fig., sp. C, p. 83 fig., Upper Devonian, Germany, Freyer, G.—R. sp., p. 15 fig., Carboniferous, Scotland, Clarke, W. J.—R. sp., p. 448 figs., Ordovician, Wales, Lindström, M.—R. sp., p. 195 fig., Upper Devonian, Germany, Zimmermann, E.

Scaphignathus velifera, p. 83 fig., Upper Devonian, Germany, Freyer, G.

Scolopodus? sp. innom., p. 766, Upper Devonian, Wyoming, Ethington, R. L. et al.

Scutula bipennata, p. 83 figs., Upper Devonian, Germany, Freyer, G.—S. bipennata, p. 197 figs., Upper Devonian, Germany, Zimmermann, E.—S. sinepennata sp. nov., p. 71 figs., Devonian, Germany, Ziegler, W. (2).—S. ? thuringa, p. 84, ? tripodis, p. 84 fig., venusta, p. 84 fig., Upper Devonian, Germany, Freyer, G.

Semiserpula chilensis sp. nov., p. 31 fig., Semiserpula gen. nov., p. 31, Tertiary, Chile, Wetzel, W.

Siphonodella cooperi, p. 131 figs., Carboniferous, Illinois, Scott, A. J. & Collinson, C.—S. crenulata, fig., duplicata, figs., Devonian-Carboniferous, Moravia, Dvoralt, J. & Freyer, G.—S. duplicata, p. 131 fig., Carboniferous, Illinois, Scott, A. J. & Collinson, C.—S. obsoleta, figs., Devonian-Carboniferous, Moravia, Dvoralt, J. & Freyer, G.

Spathognathodus abnormis, p. 198 fig., Upper Devonian, Germany, Zimmerman, E.—S. aculeatus, p. 766 figs., Upper Devonian, Wyoming, Ethington, R. L. et al.—S. altus, p. 85, Upper Devonian, Germany, Freyer, G.—S. anteposicornis sp. nov., p. 1224 figs., Upper Devonian, Western Illinois, Scott, A. J.—S. bidmataus, p. 198 figs., Upper Devonian, Germany, Zimmermann, E.—S. campbelli, p. 1156 fig., Carboniferous, Illinois, Rexroad, C. B. & Burton, R. C.—S. collinsoni sp. nov., p. 1225 figs., Upper Devonian, Western Illinois, Scott, A. J.—S. commutatus, p. 19 figs., Carboniferous, Scotland, Clarke, W. J.—S. costatus, p. 85, crassidnatus, p. 85 fig., Upper Devonian, Germany, Freyer, G.—S. cristula, p. 1156 fig., Carboniferous, Illinois, Rexroad, C. B. & Burton, R. C.—S. culminidivectus sp. nov., p. 1226 figs., Upper Devonian, Western Illinois, Scott, A. J.—S. delicatulus, p. 86, Upper Devonian, Germany, Freyer, G.—S. exodentatus sp. nov., p. 19 figs., Carboniferous, Scotland, Clarke, W. J.—S. fundamentatus sp. nov., p. 47 figs., Silurian, Germany, Walliser, O. H.—S. incrinatus, p. 14 figs., Carboniferous, Vallinois, Scott, A. J. & Collinson, C.—S. incratus, p. 86 figs., jugosus, p. 86, macrodis, p. 86, Upper Devonian, Germany, Freyer, G.—S. minutus?, p. 116 figs., Carboniferous, Illinois, Rexroad, C. B. & Burton, Carboniferous, Illinois, Rexroad, C. B. & Burton, Carboniferous, Illinois, Rexroad, C. B. & Burton,

N.

Co

(1)

R. C.—S. planus, p. 87 fig., Upper Devonian, Germany, Freyer, G.—S. primus, p. 357 figs., Ordovician, Poland, Wolska, Z.—S. cf. primus, p. 48 figs., Silurian, Germany, Walliser, O. H.—S. pusilus sp. nov., p. 20 figs., Carboniferous, Scotland, Clarke, W. J.—S. robustus, p. 87 fig., Upper Devonian, Germany, Freyer, G.—S. sammanni, p. 72, sammanni sammanni, p. 72 figs., Devonian, Germany, Ziegler, W. (2)—S. scitulus, p. 21 figs., Carboniferous, Scotland, Clarke, W. J.—S. spinulicostatus, p. 87 figs., Upper Devonian, Germany, Freyer, G.—S. spinulicostatus spinulicostatus ultimus, fig., Devonian-Carboniferous, Moravia, Dvorak, J. & Freyer, G.—S. stabilis, p. 88 fig., strigosus, p. 88 fig., tridentatus, figs., brownian-Carboniferous, Moravia, Dvorak, J. & Freyer, G.—S. tridentatus, p. 89 fig., tridentatus, figs., p. p. 133 figs., sp. nov. A, p. 132 figs., sp. nov. B, p. 133 figs., sp. nov. C, p. 133 figs., Carboniferous, Illinois, Scott, A. J. & Collinson, C.—S. sp. B, B, B, B, D, Pper Devonian, Germany, Freyer, G.—S. sp. nov., p. 73 figs., Devonian, Germany, Freyer, G.—S. sp. nov., p. 73 figs., Devonian, Germany, Freyer, G.—S. sp. nov., p. 132 figs., Sp. nov. C, p. 133 figs., Carboniferous, Illinois, Scott, A. J. & Collinson, C.—S. sp., p. 218 figs., Carboniferous, North Staffs., Higgins, A. C.—S. sp., p. 892 fig., Carboniferous, Spain, Lye, M. & Serre, B. (2).—S. sp., p. 199 fig., Upper Devonian, Germany, Zimmermann, E. Sphenothallus sp., p. 231 figs., Upper Carboniferous, Russon Schusarzhach M.

Sphenothallus sp., p. 231 figs., Upper Carboniferous, Europe, Schwarzbach, M.

Strachanognathus parous, p. 358 figs., Ordovicians Poland, Wolska, Z.

Streptognathodus parallelus sp. nov., p. 29 figs., Carboniferous, Scotland, Clarke, W. J.—S. unicomis sp. nov., p. 1157 figs., Carboniferous, Illinois, Rexroad, C. B. & Burton, R. C.

Subbryantodus planidorsalis sp. nov., p. 22 fig., Carboniferous, Scotland, Clarke, W. J.—S. subasqualis sp. nov., p. 218 figs., Carboniferous, North Staffs., Higgins, A. C.

Symprioniodina alternata, p. 133 fig., Carboniferous, Illinois, Scott, A. J. & Collinson, C.—S. kufengensis sp. nov., p. 245 figs., Permian, China, Ching, Y. K.

Tetraprioniodus cf. robustus, p. 358 figs., superbus, p. 359 figs., Ordovician, Poland, Wolska, Z.

Trapezognathus sp., p. 448 figs., Ordovician, Wales,

Lindström, M. Trichonodella excavata, p. 48 figs., cf. excavata (cf. spec. a), p. 50 fig., cf. excavata (cf. spec. b), p. 50 fig., inconstans a, p. 30 ng., ct. exemula (ct. spec. b), p. 30 ng., mensians sp. nov., p. 50 figs., cf. inconstans sp. nov., p. 51 fig., Silurian, Germany, Walliser, O. H.—T. parabolica sp. nov., p. 450 figs., Ordovician, Wales, Lindström, M.—T. sp. nov., p. 51 fig., Silurian, Germany, Walliser, O. H.

Tripodellus flexuosus, p. 89 fig., robustus, p. 89 fig., Upper Devonian, Germany, Freyer, G.

Zygognathus crugensis sp. nov., p. 451 figs., Ordovician, Wales, Lindström, M.

Incertae sedis, Conodonta.

Gen. nov. ?, p. 15 figs., Gen. et sp. nov. ?, p. 16 figs., Carboniferous, Scotland, Clarke, W. J.

Gen. et sp. nov. ?, p. 700 figs., Upper Devonian Germany, Helms, J. (1).

THE ZOOLOGICAL RECORD

THE Zoological Record, founded in 1864, is issued annually and is divided into sections. Each section, apart from Comprehensive Zoology and List of New Genera, records the literature relating to a Class or Phylum of the Animal Kingdom published in the year preceding the issue of the volume.

The complete volume can be obtained from the Society at the price of £12 (\$33.80) per copy.

The following back volumes are available :-

Vols. 65-71 (1928-1934), Vols. 85-95 (1948-1958) at £8 each (\$22.65); Vols. 96-97 (1959-1960) at £10 each (\$28.20).

REPRINT EDITION. Vols. 1-40 (1864-1903). Obtainable from Messrs. Butterworths, 4-5, Bell Yard, Temple Bar, London, W.C.2.

Complete set, paper covers, £381 10s. (\$1075.50).

Single volumes, paper covers, Vols. 1-20 £8 each (\$22.65); Vols. 21-25 £8 18s. 6d. each (\$25.30); Vols. 26-30 £10 10s. each (\$29.75); Vols. 31-40 £12 10s. each -(\$35.20).

Volumes 1-25 bound, £221 (\$623.50).

The "Insecta" section, obtainable separately, paper covers. Price complete set Vols. 1-30 £157 5s. (\$442.50); single volumes £5 5s. each (\$14.88).

For particulars of the availability and prices of separate Sections, application should be made to the Scientific Director, The Zoological Society of London, Regent's Park, London, N.W.I.

It should be noted that the separate Section Insecta can only be obtained from the Commonwealth Institute of Entomology, 56 Queen's Gate, London, S.W.7.

NOMENCLATOR ZOOLOGICUS.—Lists the names of all the genera and subgenera in zoology from the 10th Edition of Linnaeus 1758 to the end of 1945, with a bibliographical reference to the original description of each. Price £25 (\$70.50). Price of separate volumes: Vols. 1-4 (1758-1935), Vol. 5 (1936-1945), £5 (\$14.10) each. Vol. 6 (1946-1955) in the press, £5 (\$14.10).

SEPARATE SECTIONS OF THE ZOOLOGICAL RECORD

In addition to the volume, the separate Sections bound in printed paper covers may be obtained.

The prices	of the Section	s are	:						
1.	Comprehens	ive Z	oology			 	 s. 5	d. 0	
2.	Protozoa					 	 15	0	
3.	Porifera					 	 3	0	
4.	Coelenterata	4				 	 5	0	
5.	Echinoderm	ata				 	 4	0	
6.	Vermes					 	 14	0	
7.	Brachiopoda	1				 	 4	0	
8.	Bryozoa					 	 3	0	
9.	Mollusca					 	 21	0	
10.	Crustacea					 	 12	0	
11.	Trilobita					 	 8	0	
12.	Arachnida					 	 14	0	
13.	*Insecta					 	 80	0	
14.	Protochorda	ıta				 	 3	0	
15.	Pisces					 	 15	0	
16.	Amphibia					 	 12	0	
17.	Reptilia					 	 12	0	
18.	Aves					 	 13	0	
19.	Mammalia					 	 18	0	
20.	List of New	Gene	ra and	Subgen	era	 	 5	0	

Obtainable only from the Commonwealth Institute of Entomology, 56 Queen's Gate London, S.W.7.

1